



Product Catalog

SpiralTechTM
Superior Dental Implants

CONTENTS

COMPANY OVERVIEW	3-9
Mission and Value	3
Research and Development.....	4
Materials and Production	5
Our Beliefs	6
RBM Surface Treatment	7
Complete Implant Solutions.....	8
Connection Choices	9
IMPLANTS	10-18
ESi Implant	10-11
Premium Implant.....	12-13
Dynamic Implant.....	14-15
Ultimate Implant.....	16-17
Solo One Piece Implant	18
PROSTHETICS.....	19-25
Titanium Healing Abutments.....	19
Zirconia Healing Abutments.....	19
Cover Screws	20
Implant Carrier.....	20
Impression Transfer	20
Cement-Retained Abutments.....	21-22
PEEK Temporary Abutments.....	22
Screw-Retained and Multi-Unit Restorations.....	23
Abutment Accessories and Prosthetics	23
Implant Prosthetic Indicator.....	24
Ball Attachments and Ball Attachment Covers	24
Esthetic Connections.....	25
INSTRUMENTATION	26-35
ESi / Premium Implants Surgical Tray	26
Dynamic / Ultimate Implants Surgical Tray	27
Implant Surgical Drills and Countersink	28-29
Drill Stoppers.....	30
Surgical Tools	31
Essentials Surgical Cassette.....	32
Periotome Extraction Cassette	33
Osteotome Sinus Lift Cassette	34

DENTAL KITS	36-45
Bone Expander Kit	36
Split Master Kit	37
Bone Chip Maker Kit.....	38
Fixture and Screw Removal Kit	39
Sinus Master Kit	40-41
CortiOss (Cortical Bone Powder / Chip)	42
CortiOss-D (Demineralized Cortical Bone Powder / Chip)	43
ConiOss (Cortical and Cancellous Bone Powder / Chip).....	44
SpiralTech Motors and Hand-Held Drills	45
INDEX	46-49



COMPANY OVERVIEW

Our Company

Founded in 2012, SpiralTech was created to fill a void in the dental implant world—simplified treatment paired with the best technologies and customer service.

We want to provide doctors of all experience levels with innovative designed implants and accessories while providing all of the necessary educations and services.

Ultimately, our mission is to enhance the doctor-patient experience.

The ESi implant product line is the first step in what we see as a continuous journey towards clinical excellence.

Mission and Value

Our mission is to manufacture advanced dental implant technology; paired with an industry-best customer service team; at affordable prices.


Our commitment to continuous research and development aims us to optimize the treatment process; allowing for state-of-the-art care to be shared and taught globally.



Research and Development

SpiralTech's designs improve the shared experience of doctors and their patients.

Innovation is at the heart of SpiralTech. We focus on leading the industry with an engineering team that spans three continents who constantly strive to improve our processes, technology and systems—as well as developing the highest standards relating to best practices for patient treatment and refined the doctor experience.




Simplicity

At SpiralTech, we believe contemporary implant therapy should be streamlined with the tools of intuitive design. We have developed advanced instruments that simplify the implant surgical process—a welcome change for novice and experienced surgeons. With features like drill sequences printed on the trays, universal depth stops and user-friendly packaging—SpiralTech implants saves time and helps maximize efficiency.

Materials and Production

Quality without Compromise

SpiralTech solutions are produced in world class facilities with high-quality materials. Titanium-based solutions make use of a premium grade titanium alloy forged and surface treated in the United States; and our precision drilling systems are produced in Germany. Key components from the United States, Italy and Germany are also integrated into SpiralTech implant solutions. All SpiralTech implant solutions are backed by a comprehensive 20-year warranty.



Quality Control

From milling to in-office delivery, SpiralTech's quality control systems and protocols ensure that only tested and verified products are shipped. At the time of milling; automated systems ensure exact dimensional standards are met. During surface treatment only approved clean room environments are used and implants are micro-inspected.

From order placement to delivery, all purchases are tracked. They are then evaluated for accurate and timely delivery through our advanced supply chain systems.

After implant placement, SpiralTech provides case management for safety monitoring and tracking long-term success.

At SpiralTech, we have a set of core beliefs

We pledge to all those involved with our work...

A continuous provision to our doctors and patients of the highest quality products and always putting the long term health and safety of our patients above all else.


Constantly striving to provide an unrivaled level of customer service, innovation and progressive effort to move the whole of dental technology forward.

Not only do we further the reach of accessible, modern dental care globally—it is with devotion, time and resources that we dedicate ourselves to the educational advancement of dentists and surgeons.

Forever maintaining a leadership within the administrative and service teams to uphold the highest professional and ethical standards.

We go forth to affect, with maximum effort, all aspects of our company's operations to ensure long term success and support our employees in attaining dependable, worthwhile and personally-fulfilling careers.

And... we never stop asking, "How can we do better?"





One Proven Surface


SpiralTech implants all feature a proven RBM surface.



Applied in a controlled environment, the RBM process uniformly micro-roughens the implant to maximize surface area, bone cell growth and adhesion. Filler layers that could later form debris or compromise healing are omitted.



Implant after machining and washing is reasonably clean and mostly free from foreign particles, enabling good conditions for further stages of the surface treatment.




Implant shown after Alumina Blasting.

COMPLETE IMPLANT SOLUTIONS


Four distinct implant body styles

There is a SpiralTech implant for every case. Whether bone level or tissue level, placed in sockets or placed in healed ridges, immediately loaded or covered healing, we have an implant that fits your needs.




ESi

ESi is unlike any implant currently on the market. Its innovative design is doctor friendly, efficient and designed to ease your implant process.




Premium

Premium is a conventional implant that can be applied in soft and hard bone. Excellent for working in Type I & II bone.



Dynamic

This Dynamic implant has been designed for immediate loading, better retention and uses reverse buttress thread design.




Ultimate

Our Ultimate implant can be used for immediate loading and is successful with stability and retention.

Four implants, Choice of Connection

Each implant comes with Hex or Conical Connection

Both provide benefits of bone level platform switching. This is ideal for soft tissue maintenance and strong internal connections.



HEX CONNECTION

With many years of proven success; the hex connection is reliable and strong.



CONICAL CONNECTION

The internal conical connection is increasingly popular due to its stability, precision fit and long-term strength.



ESi™ Implant System

The Essential Spectrum Implant (ESi) has been patented.


The ESi implant is versatile and can be used in most clinical situations. Placement is intuitive and fast. Great for beginning and experienced surgeons alike.

All implants are provided with the corresponding cover screw and average-size healing abutment.

HEX CONNECTION



CONICAL CONNECTION




ESi™ Implants *with Standard Hex or Conical Connection*

Hex Connection

Diameter (mm)	Length (mm)	Catalog No.
3.50	8.0	ESi35008
	10.0	ESi35010
	11.5	ESi35011
	13.0	ESi35013
	15.0	ESi35015
4.30	6.0	ESi43006
	8.0	ESi43008
	10.0	ESi43010
	11.5	ESi43011
	13.0	ESi43013
	15.0	ESi43015
5.00	6.0	ESi50006
	8.0	ESi50008
	10.0	ESi50010
	11.5	ESi50011
	13.0	ESi50013
6.00	15.0	ESi50015
	6.0	ESi60006
	8.0	ESi60008
	10.0	ESi60010
	11.5	ESi60011
6.00	13.0	ESi60013
	15.0	ESi60015


Conical Connection

Diameter (mm)	Length (mm)	Catalog No.
3.00 NP	10.0	ESiC30010
	11.5	ESiC30011
	13.0	ESiC30013
3.50 NP	15.0	ESiC30015
	8.0	ESiC35008
	10.0	ESiC35010
	11.5	ESiC35011
	13.0	ESiC35013
4.30 RP	15.0	ESiC35015
	6.0	ESiC43006
	8.0	ESiC43008
	10.0	ESiC43010
	11.5	ESiC43011
5.00 RP	13.0	ESiC43013
	15.0	ESiC43015
	6.0	ESiC50006
	8.0	ESiC50008
	10.0	ESiC50010
6.00 RP	11.5	ESiC50011
	13.0	ESiC50013
	15.0	ESiC50015
	6.0	ESiC60006
	8.0	ESiC60008
6.00 RP	10.0	ESiC60010
	11.5	ESiC60011
	13.0	ESiC60013
	15.0	ESiC60015



Premium Implants

The Premium Implant is a conventionally designed implant. While it can be used in all clinical situations, its conservative threads are best suited for healed ridges. All implants are provided with the corresponding cover screw and average-size healing abutment.




Premium Implants *with Standard Hex or Conical Connection*

Hex Connection

Diameter (mm)	Length (mm)	Catalog No.
3.50	8.0	PR35008
	10.0	PR35010
	11.5	PR35011
	13.0	PR35013
	15.0	PR35015
4.30	6.0	PR43006
	8.0	PR43008
	10.0	PR43010
	11.5	PR43011
	13.0	PR43013
	15.0	PR43015
5.00	6.0	PR50006
	8.0	PR50008
	10.0	PR50010
	11.5	PR50011
	13.0	PR50013
6.00	6.0	PR60006
	8.0	PR60008
	10.0	PR60010
	11.5	PR60011
	13.0	PR60013
	15.0	PR60015

Conical Connection



Diameter (mm)	Length (mm)	Catalog No.
3.50 NP	8.0	PRC35008
	10.0	PRC35010
	11.5	PRC35011
	13.0	PRC35013
	15.0	DYC35015
4.30 RP	6.0	PRC43006
	8.0	PRC43008
	10.0	PRC43010
	11.5	PRC43011
	13.0	PRC43013
	15.0	PRC43015
5.00 RP	6.0	PRC50006
	8.0	PRC50008
	10.0	PRC50010
	11.5	PRC50011
	13.0	PRC50013
6.00 RP	6.0	PRC60006
	8.0	PRC60008
	10.0	PRC60010
	11.5	PRC60011
	13.0	PRC60013
	15.0	PRC60015



Dynamic Implants

The Dynamic Implant is an evolved version of the successful high-torque implants currently available on the market. This next generation design maintains the same features that provide initial stability, but has thread refinements. It is a suitable implant for immediate placement and/or immediate loading.

All implants are provided with the corresponding cover screw and average-size healing abutment.



Dynamic Implants *with Standard Hex or Conical Connection*

Hex Connection

Diameter (mm)	Length (mm)	Catalog No.
3.50	8.0	DY35008
	10.0	DY35010
	11.5	DY35011
	13.0	DY35013
	15.0	DY35015
4.30	6.0	DY43006
	8.0	DY43008
	10.0	DY43010
	11.5	DY43011
	13.0	DY43013
5.00	15.0	DY43015
	6.0	DY50006
	8.0	DY50008
	10.0	DY50010
	11.5	DY50011
6.00	13.0	DY50013
	15.0	DY50015
	6.0	DY60006
	8.0	DY60008
	10.0	DY60010
	11.5	DY60011
	13.0	DY60013
	15.0	DY60015

Conical Connection

Diameter (mm)	Length (mm)	Catalog No.
3.50 NP	8.0	DYC35008
	10.0	DYC35010
	11.5	DYC35011
	13.0	DYC35013
	15.0	DYC35015
4.30 RP	6.0	DYC43006
	8.0	DYC43008
	10.0	DYC43010
	11.5	DYC43011
	13.0	DYC43013
5.00 RP	15.0	DYC43015
	6.0	DYC50006
	8.0	DYC50008
	10.0	DYC50010
	11.5	DYC50011
6.00 RP	13.0	DYC50013
	15.0	DYC50015
	6.0	DYC60006
	8.0	DYC60008
	10.0	DYC60010
	11.5	DYC60011
	13.0	DYC60013
	15.0	DYC60015





Ultimate Implants

The Ultimate Implant is designed for initial stability, even in soft bone. It is a suitable implant for immediate placement and/or immediate loading. Due to its design, it can be slightly adjusted to reposition implant during the surgery.

Suitable for type II, III and IV bone.

All implants are provided with the corresponding cover screw and average-size healing abutment.




Ultimate Implants *with Standard Hex or Conical Connection*

Hex Connection

Diameter (mm)	Length (mm)	Catalog No.
3.50	8.0	UL35008
	10.0	UL35010
	11.5	UL35011
	13.0	UL35013
	15.0	UL35015
4.30	6.0	UL43006
	8.0	UL43008
	10.0	UL43010
	11.5	UL43011
	13.0	UL43013
5.00	6.0	UL50006
	8.0	UL50008
	10.0	UL50010
	11.5	UL50011
	13.0	UL50013
6.00	6.0	UL60006
	8.0	UL60008
	10.0	UL60010
	11.5	UL60011
	13.0	UL60013
	15.0	UL60015

Conical Connection

Diameter (mm)	Length (mm)	Catalog No.
3.00 NP	10.0	ULC33010
	11.5	ULC33011
	13.0	ULC33013
	15.0	ULC33015
3.50 NP	8.0	ULC35008
	10.0	ULC35010
	11.5	ULC35011
	13.0	ULC35013
4.30 RP	15.0	ULC35015
	6.0	ULC43006
	8.0	ULC43008
	10.0	ULC43010
5.00 RP	11.5	ULC43011
	13.0	ULC43013
	15.0	ULC43015
	6.0	ULC50006
6.00 RP	8.0	ULC50008
	10.0	ULC50010
	11.5	ULC50011
	13.0	ULC50013
	15.0	ULC50015
	6.0	ULC60006
	8.0	ULC60008
	10.0	ULC60010
	11.5	ULC60011
	13.0	ULC60013
	15.0	ULC60015



Solo One Piece

The SOLO implant is combined with an abutment. Is a spiraled, double, sharp and deep thread implant. Grooved neck (interlaced grooves), designed to prevent bone resorption and down growth of epithelial cells. This design enables: Implant primary self-retention and stability, self-tapping, prevents bone tissue trauma, accelerating the healing process, increase of the implant's external surface. Suitable for all types of bone but optimal usage is in soft bone, immediate loading, immediate implantation after extraction (if there is sufficient compact bone), single and multiple implantation, Flapless procedures.

Implant has wide spectrum of titanium and zirconium.

Implant and packaging was designed to be of doctor friendly use. All implants contain a carrier which has torque safety features which is detached at insertion. One Piece implant is HA coated or RBM or combination.




Diameter	Length (mm)	Catalog No.
3.0mm	10.0mm	OP3010
	11.0mm	OP3011
	13.0mm	OP3013
	15.0mm	OP3015
3.3mm	10.0mm	OP3310
	11.0mm	OP3311
	13.0mm	OP3313
	15.0mm	OP3315
3.75mm	10.0mm	OP37510
	11.0mm	OP37511
	13.0mm	OP37513
	15.0mm	OP37515
4.2mm	10.0mm	OP4210
	11.0mm	OP4211
	13.0mm	OP4213
	15.0mm	OP4215



Titanium Healing Abutments

Available in various heights and diameters, healing abutments are used to sculpt soft tissues in preparation for placement of the final restoration. They can be used in a one-stage or two-stage surgical approach.

Design	Diameter (mm)	Facial Height (mm)	Hex Catalog No.	NP Conical Catalog No.	RP Conical Catalog No.
Healing Cap, narrow	3.8	2	HAH382	HACNP382	HACRP382
		3	HAH383	HACNP383	HACRP383
		4	HAH384	HACNP384	HACRP384
		5	HAH385	HACNP385	HACRP385
		6	HAH386	HACNP386	HACRP386
Healing Cap, medium	4.5	2	HAH452	HACNP452	HACRP452
		3	HAH453	HACNP453	HACRP453
		4	HAH454	HACNP454	HACRP454
		5	HAH455	HACNP455	HACRP455
		6	HAH456	HACNP456	HACRP456
Healing Cap, wide	5.5	2	HAH502		HACRP502
		3	HAH503		HACRP503
		4	HAH504		HACRP504
		5	HAH505		HACRP505
		6	HAH506		HACRP506



Zirconia Healing Abutments

All flat abutments have a 5mm height above the margin. Listed margin height for anatomic abutments is the facial margin height (height increases inter proximally)*

Diameter	Height (mm)	Hex Catalog No.	NP Conical Catalog No.	RP Conical Catalog No.
3.8	2	ZHCH382	ZHCNP382	ZHCRP382
	3	ZHCH383	ZHCNP383	ZHCRP383
	4	ZHCH384	ZHCNP384	ZHCRP384
	6	ZHCH386	ZHCNP386	ZHCRP386
5	3	ZHCH433	ZHCNP433	ZHCRP503
	4	ZHCH434	ZHCNP434	ZHCRP504
5.5	3	ZHCH553		ZHCRP553
	4	ZHCH554		ZHCRP554

* Currently not available for sale in Canada

Cover Screws

Zero height abutments for covered healing (two-stage surgery).

Hex (for Ø3.5, Ø4.30, Ø5.0 and Ø6.0 implants)
 NP (for Ø3.5 implants)
 RP (for Ø4.30, Ø5.0, Ø6.0)

Diameter (mm)	Hex Catalog No.	NP Conical Catalog No.	RP Conical Catalog No.
3.5	CSH35R	CSCNP35R	-
4.3	CSH43B	-	CSCR43B
5.0	CSH50G	-	CSCR50G
6.0	CSH60Y	-	CSCR60Y



Implant Carrier

Shank Height (mm)	Hex Catalog No.	NP Conical Catalog No.	RP Conical Catalog No.
5	ICH5	ICNP5	ICRP5
10	ICH10	ICNP10	ICRP10



Impression Transfer


Available for both open-tray and closed-tray techniques.

Open Tray: transfer screw supplied with both long and short pickups


Length (mm)	10	15	Transfer Screw
Hex Catalog No.	ITOH10	ITOH15	ITSH
NP Conical Catalog No.	ITOCNP10	ITONCNP15	ITSNP
RP Conical Catalog No.	ITONCRP10	ITONCRP15	ITSRP

Closed Tray: long and short transfers

Length (mm)	10	15
Hex Catalog No.	ITCH10	ITCH15
NP Conical Catalog No.	ITCCNP10	ITCCNP15
RP Conical Catalog No.	ITCCRP10	ITCCRP15



Closed Tray



Open Tray

Cement-Retained Abutments

Prefabricated Flat & Anatomic Abutments with Conical or Hex Connections

Hex (for Ø3.5, Ø4.3, Ø5.0, Ø6.0 implants) NP (for Ø3.5 implants) RP (for Ø4.3, Ø5.0, Ø6.0 implants) with shoulder/cuff collar design


Design	Diameter (mm)	Facial Height (mm)	Hex Catalog No.	NP Conical Catalog No.	RP Conical Catalog No.	Design	Diameter (mm)	Facial Height (mm)	Slim Catalog No.
Flat (Titanium, Narrow)	3.8	5	FTAH3805	FTACNP3805	FTACRP3805	Flat (Titanium, Slim)	3.7	1	15ASACNP3710
		7	FTAH3807	FTACNP3807	FTACRP3807			2	15ASACNP3720
		9	FTAH3809	FTACNP3809	FTACRP3809			3	15ASACNP3730
		11	FTAH3811	FTACNP3811	FTACRP3811				
Flat (Titanium, Standard)	4.5	5	FTAH4505	FTACNP4505	FTACRP4505	<p>Flat Titanium, Narrow</p>	<p>Flat, Titanium Standard / Wide</p>		
		7	FTAH4507	FTACNP4507	FTACRP4507				
		9	FTAH4509	FTACNP4509	FTACRP4509				
		11	FTAH4511	FTACNP4511	FTACRP4511				
Flat (Titanium, Wide)	5.5	5	FTSAH5505		FTSARP5505	<p>Flat with Straight Shoulder, Titanium</p>	<p>Anatomic Titanium</p>		
		7	FTSAH5507		FTSARP5507				
		9	FTSAH5509		FTSARP5509				
		11	FTSAH5511		FTSARP5511				
Flat with Straight Shoulder (Titanium)	3.8	1	FTASH3810	FTASCNP3810	FTASCRP3810	<p>15° Angulated Titanium</p>	<p>25° Angulated Titanium</p>		
		2	FTASH3820	FTASCNP3820	FTASCRP3820				
		3	FTASH3830	FTASCNP3830	FTASCRP3830				
	4.5	1	FTASH4510	FTASCNP4510	FTASCRP4510				
		2	FTASH4520	FTASCNP4520	FTASCRP4520				
		3	FTASH4530	FTASCNP4530	FTASCRP4530				
	5.5	1	FTASH5510		FTASCRP5510				
		2	FTASH5520		FTASCRP5520				
		3	FTASH5530		FTASCRP5530				
	Anatomic (Titanium)	4.5	1	ATAH4510	ATACNP4510			ATACRP4510	
			2	ATAH4520	ATACNP4520			ATACRP4520	
			3	ATAH4530	ATACNP4530			ATACRP4530	
4			ATAH4540	ATACNP4540	ATACRP4540				
5.5	1	ATAH5510		ATACRP5510					
	2	ATAH5520		ATACRP5520					
	3	ATAH5530		ATACRP5530					
15° Angulated (Titanium)	4.7	1	15ATAH4710	15ATACNP4710	15ATACRP4710				
		2	15ATAH4720	15ATACNP4720	15ATACRP4720				
		3	15ATAH4730	15ATACNP4730	15ATACRP4730				
25° Angulated (Titanium)	5.2	1	25ATAH5210	25ATACNP5210	25ATACRP5210				
		2	25ATAH5220	25ATACNP5220	25ATACRP5220				
		3	25ATAH5230	25ATACNP5230	25ATACRP5230				
30° Angulated (Titanium)	5.3	2	30ATAH5320	30ATACNP5320	30ATACRP5320				
		3	30ATAH5330	30ATACNP5330	30ATACRP5330				
		4	30ATAH5340	30ATACNP5340	30ATACRP5340				
		4	30ATAH5340	30ATACNP5340	30ATACRP5340				
		5	30ATAH5350	30ATACNP5350	30ATACRP5350				

Cement-Retained Abutments

Anatomic and Angulated Zirconia Abutments with Conical or Hex Connections*

Hex (for Ø3.5, Ø4.3, Ø5.0, Ø6.0 implants)
 NP 15° (for Ø3.5 implants)
 RP 15° (for Ø4.3, Ø5.0, Ø6.0 implants)


Design	Diameter (mm)	Facial Height (mm)	Hex Catalog No.	NP Conical Catalog No.	RP Conical Catalog No.
Anatomic zirconia, with titanium base	4.5	1	AZAHT4510	AZACTNP4510	
		2	AZAHT4520	AZACTNP4520	
		3	AZAHT4530	AZACTNP4530	
15° Angulated zirconia with titanium base	5.35	1	15AZAH53510	15AZACNP53510	15AZACRP53510
		2	15AZAH53520	15AZACNP53520	15AZACRP53520
		3	15AZAH53530	15AZACNP53530	15AZACRP53530



Abutments—PEEK Temporary

Esthetic with Hex/Conical Connection*

Design	Length (mm)	Facial Height (mm)	Hex Catalog No.	NP Conical Catalog No.	RP Conical Catalog No.
Ø4.5 Flat with Straight Shoulder	10	1	FPAH1001	FPACNP1001	FPACRP1001
	11	2	FPAH1102	FPACNP1102	FPACRP1102
	12	3	FPAH1203	FPACNP1203	FPACRP1203
Ø4.5 Anatomic	10	1	APAH1001	APACNP1001	APACRP1001
	11	2	APAH1102	APACNP1102	APACRP1102
	12	3	APAH1203	APACNP1203	APACRP1203
15° Angulated	14	3	15APAH1403	-	-
25° Angulated	13	3	25APAH1303	-	-
	15	3	25APAH1503	-	-



* Currently not available for sale in Canada

Screw-Retained & Multi-Unit Restorations

Our Multi-Unit Abutment System is designed for restoration of partially or fully edentulous arch cases.

Straight Multi Abutments



Facial Height (mm)	1	2	3	4
Hex Catalog No.	00MUAH1	00MUAH2	00MUAH3	00MUAH4
NP Conical Catalog No.	00MUANP1	00MUANP2	00MUANP3	00MUANP4
RP Conical Catalog No.	00MUARP1	00MUARP2	00MUARP3	00MUARP4

Angled 17° Multi Abutments



Hex Catalog No.	17MUAH1	17MUAH2	17MUAH3	-
NP Conical Catalog No.	17MUANP1	17MUANP2	17MUANP3	-
RP Conical Catalog No.	17MUARP1	17MUARP2	17MUARP3	-

Angled 30° Multi Abutments




Hex Catalog No.	30MUAH1	30MUAH2	30MUAH3	-
NP Conical Catalog No.	30MUANP1	30MUANP2	30MUANP3	-
RP Conical Catalog No.	30MUARP1	30MUARP2	30MUARP3	-

Abutment Accessories and Prosthetics

Catalog No.	MUPS0032	MUTS1250	MTMU1200	MTMU8005	MWQP0011	MHCC4550	MAMU1201	MSMU4023
Description	Plastic Sleeve screw included	Titanium Sleeve screw included	Open Tray Transfer screw included	Close tray Transfer	Plastic for Close tray Transfer	Healing cap for Multi-Unit	Analog for Multi-Unit	Screw for Multi-Unit Sleeve

Implant Prosthetic Indicator (IPI)


Diameter	Height (mm)	Hex Catalog No	NP Conical Catalog No.	RP Conical Catalog No.
3.85	1	LOH1	LOHNP1	LOHRP1
	2	LOH2	LOHNP2	LOHRP2
	3	LOH3	LOHNP3	LOHRP3
	4	LOH4	LOHNP4	LOHRP4
	5	LOH5	LOHNP5	LOHRP5
	6	LOH6	LOHNP6	LOHRP6



Ball Attachments (BAC)

Conical and Hex Connection manufactured in Titanium alloy

Design	Diameter (mm)	Facial Height (mm)	Hex Catalog No.	NP Conical Catalog No.	RP Conical Catalog No.
Ball Attachments	4	1	BAH1	BAHNP1	BAHRP1
		2	BAH2	BAHNP2	BAHRP2
		3	BAH3	BAHNP3	BAHRP3
		4	BAH4	BAHNP4	BAHRP4
		5	BAH5	BAHNP5	BAHRP5
		6	BAH6	BAHNP6	BAHRP6



Ball Attachment Covers | Implant Prosthetic Indicator

Catalog No.	MAH1	NIS1	NIS2	NIS3	MAC1	NIP1	NIP2	NIP3
Description	Metal (BAC)	Standard Plastic (BAC)	Soft Plastic (BAC)	Hard Plastic (BAC)	Metal (IPI)	Standard Plastic (IPI)	Soft Plastic (IPI)	Hard Plastic (IPI)

Esthetic Connections

Connecting Screws

To facilitate the connection of the implant.

Abutment Collar Size	0.50mm	1.50mm	2.50mm
Length	6mm	7mm	8mm
Hex Catalog No.	SECA05	SECA15	SECA25
NP Conical Catalog No.	SECACNP05	SECACNP15	SECACNP25
RP Conical Catalog No.	SECACRP05	SECACRP15	SECACRP25



Lab – Titanium based Conical & Hex Plastic Sleeve

Material	Plastic	Plastic & Titanium
Platform	1.00mm	1.00mm
Length	12.00mm	12.00mm
Hex Catalog No.	SP8218	SPT3112
Conical Catalog No.	SPC8218	SPTC3112



Screws

Screws fit all abutments
Utilize 1.25 mm Hex Driver
Final torque 30 Ncm

Packaged with	Angulated Abutments	Angulated & Straight Abutments	Straight Abutment
Length	7.6mm	8.3mm	9.4mm
Hex Catalog No.	SCA76	SCA83	SCA94
NP Conical Catalog No.	SCACNP76	SCACNP83	SCACNP94
RP Conical Catalog No.	SCACRP76	SCACRP83	SCACRP94

Lab Analogs

Our Lab Analog indicate location of the implant for the laboratory.

Material	Stainless Steel	Plated Analog	Stainless Steel
Diameter	4.00mm	4.00mm	3.30mm
Length	Standard 12.00mm	Standard 12.00mm	Solo 17.00mm
Hex Catalog No.	ECA05	ECA15	ECA25
NP Conical Catalog No.	ECACNP05	ECACNP15	ECACNP25
RP Conical Catalog No.	ECACRP05	ECACRP15	ECACRP25

Surgical Tray—ESi / Premium Implants

One Step Two Grade Drill Bit Kit

SpiralTech surgical trays and drills have been designed to both simplify the surgery and make each step of the process intuitive.

- Drill measurements and drilling protocols printed directly on the tray
- Small tray size allows easy positioning anywhere in the surgical set-up
- Numbered, color-coated drills for easy identification
- Precision fit of instruments into tray—no additional rubber pieces to loosen or fall out



Catalog No. STG2

Surgical Tray—Dynamic / Ultimate Implants

Two Step Three Grade Drill Bit Kit

SpiralTech surgical trays and drills have been designed to both simplify the surgery and make each step of the process intuitive.

- Drill measurements and drilling protocols printed directly on the tray
- Small tray size allows easy positioning anywhere in the surgical set-up
- Numbered, color-coated drills for easy identification
- Precision fit of instruments into tray—no additional rubber pieces to loosen or fall out



Catalog No. STG3

ESi/Premium Surgical Drills and Countersink

Two Grade



Laser Identification



Color Coding



Depth Laser Marked

For
ESi and Premium
One step, two grade



Drill Number	1	2	3	4	5	6	7	8
ESi/Premium	1.2/2.0	2.0/2.8	2.8/3.1	3.1/3.4	3.4/3.9	3.9/4.4	4.4/4.8	4.8/5.8
Catalog No.	ESiPR1	ESiPR2	ESiPR3	ESiPR4	ESiPR5	ESiPR6	ESiPR7	ESiPR8



Countersink	1/2 Round	1.5 Spud
4.3-5.0-6.0	-	-
CURS456	05RD	SPUD15

Dynamic/Ultimate Surgical Drills and Countersink

Three Grade



Laser Identification



Color Coding




Depth Laser Marked

For
Dynamic and Ultimate
Two step, three grade



Drill Number	1	2	3	4	5	6	7	8
Dynamic/Ultimate	1.2/1.8/2.4	1.8/2.4/2.8	2.4/2.8/3.1	2.8/3.1/3.3	3.3/3.5/4.1	3.5/4.1/4.7	4.1/4.7/5.2	4.7/5.2/5.8
Catalog No.	DUAL1	DUAL2	DUAL3	DUAL4	DUAL5	DUAL6	DUAL7	DUAL8



Countersink	1/2 Round	1.5 Spud
4.3-5.0-6.0	-	-
CURS456	05RD	SPUD15

Drill Stoppers



Implant Length	8	10	11.5	13
Drill #	1,2,3	1,2,3	1,2,3	1,2,3
Stop \varnothing mm	4.5	4.5	4.5	4.5
Implant \varnothing mm	3.5	3.5	3.5	3.5
Stopper length mm	14.3	12.3	10.8	9.3
Laser mark	Red Red	Red Blue	Red Green	Red Yellow
Catalog No.	RRS800	RBS100	RGS115	RYS130



Implant Length	8	10	11.5	13
Drill #	4,5	4,5	4,5	4,5
Stop \varnothing mm	5.3	5.3	5.3	5.3
Implant \varnothing mm	4.3	4.3	4.3	4.3
Stopper length mm	14.3	12.3	10.8	9.3
Laser mark	Blue Red	Blue Blue	Blue Green	Blue Yellow
Catalog No.	BRS800	BBS100	BGS115	BYS130



Implant Length	8	10	11.5	13
Drill #	6,7,8	6,7,8	6,7,8	6,7,8
Stop \varnothing mm	7.2	7.2	7.2	7.2
Implant \varnothing mm	5.0,6.0	5.0,6.0	5.0,6.0	5.0,6.0
Stopper length mm	14.3	12.3	10.8	9.3
Laser mark	Green Red	Green Blue	Green Green	Green Yellow
Catalog No.	GRS800	GBS100	GBS115	GYS113



Length	L8	L10	11.5	L13
Drills	1, 2, 3	1, 2, 3	1, 2, 3	1, 2, 3
Implant \varnothing	3.5mm	3.5mm	3.5mm	3.5mm
Drills	4, 5	4, 5	4, 5	4, 5
Implant \varnothing	4.3mm	4.3mm	4.3mm	4.3mm
Drills	6, 7, 8	6, 7, 8	6, 7, 8	6, 7, 8
Implant \varnothing	5.0mm, 6.0mm	5.0mm, 6.0mm	5.0mm, 6.0mm	5.0mm, 6.0mm

Surgical Tools

MOTOR MOUNTS

Tool	Size	Length	Catalog No.
Drill Extender		26mm	DE26
Tissue Punch	\varnothing 3.0x4.0mm	\varnothing 4.0x5.0mm	TPU30/40 TPU40/50
Depth Gauge			DDM15
Motor Screw Driver Hex	1.25mm	22/28mm	MMH122 MMH128
Motor Implant Driver Hex	2.42mm	22/28mm	MMH222 MMH228
Motor Implant Driver Conical NP	2.25mm	22/28mm	MMCNP222 MMCNP228
Motor Implant Driver Conical RP	2.65mm	22/28mm	MMCRP222 MMCRP228

RATCHET MOUNTS

Tool	Size	Length	Catalog No.
Ratchet Implant Driver Conical NP	2.25mm	13mm	CDNP213
Ratchet Implant Driver Conical RP	2.65mm	13mm	CDRP213
Ratchet Screw Driver Hex / Short	1.25mm	7mm	HXD107
Ratchet Screw Driver Hex / Long	1.25mm	15mm	HXD115
Ratchet Implant Driver Hex	2.42mm	13mm	HXD213

OTHER TOOLS


Tool	Size	Catalog No.
Screw Driver	1.25mm, 10/15mm	HND10 HND15
Hand Wrench Hex	0.25mm	TWRCHT
Ratchet		WR
Torque Ratchet		TWR
Socket Wrench Driver		SCA635

Essentials Surgical Cassette


The Essentials cassette contains all the instruments necessary for successful implant surgery.



Essential Surgical Cassette
Catalog No. ESURCK1




Periodontal Probe ESC-PP
Buser Elevator ESC-BE
Periosteal Elevator ESC-PE
Scalpel Handle ESC-SH
Double-sided Mirror and Handle ESC-DMH
Adson Tissue Pliers ESC-ATP
College Pliers ESC-CP
Minnesota Retractor ESC-MR




Suction Tip
ESC-ST

Anesthetic Syringe
ESC-AS



Foley Caliper
ESC-FC

Irrigation Syringe
ESC-IS



Curved Iris Scissors
ESC-CIS

Castroviejo Needle Driver
ESC-CND


www.spiraltech.com

Periotome Extraction

For minimally-traumatic extraction of teeth and retained roots. The periotome extraction kit is a critical tool for immediate implant placement.



Periotome Extraction Kit
Catalog No. PEREX



Straight PEREX-ST
Curved PEREX-CR
Spade PEREX-SP
Distal PEREX-DS
Mesial PEREX-MS
Wide Spade PEREX-WS
Wide Mesial PEREX-WM

toll free 888-991-7997

Dental Kits

Osteotome Sinus Lift

Concave tips to allow the introduction of graft material. Long tips with adjustable depth stops.



Osteotome Sinus Lift
Catalog No. OSTSL

STRAIGHT. OSTSL-S



1 Yellow	2 Black	3 Red	4 Blue	5 Green
∅ 2.5mm	∅ 3.0mm	∅ 3.7mm	∅ 4.5mm	∅ 5.0mm
OSTSL-S1	OSTSL-S2	OSTSL-S3	OSTSL-S4	OSTSL-S5


CURVED OSTSL-C




1 Yellow	2 Black	3 Red	4 Blue	5 Green
∅ 2.5mm	∅ 3.0mm	∅ 3.7mm	∅ 4.5mm	∅ 5.0mm
OSTSL-C1	OSTSL-C2	OSTSL-C3	OSTSL-C4	OSTSL-C5

Implant—Torque

Torque is the surgeons last tool to use. Surgeons are able to reach deep molar areas without difficulty compared to other torques.




Bone Expander Kit *For expanding narrow bone ridge.*



Bone Expander Kit
Catalog No. SBE-01

Our Bone Expander Kit is used for single implants to expand where the bone is narrow width or to improve weak bone.

EXPANDER DRILLS *Easy expansion, no bone loss, less traumatic.*



	Diameter	Length	Apical
1 White	ø 2.6	17mm	4mm
			6mm
			8mm
			10mm
2 Orange	ø 3.0	17mm	4mm
			6mm
			8mm
			10mm
3 Red	ø 3.4	17mm	4mm
			6mm
			8mm
			10mm
4 Blue	ø 3.8	17mm	4mm
			6mm
			8mm
			10mm
5 Green	ø 4.3	17mm	4mm
			6mm
			8mm
			10mm



Wrench
RCW-01



Handpiece
Adapter
ADAPTER-A



Hand
Adapter
ADAPTER-H




Wrench
Adapter
ADAPTER-1

Split Master Kit *For Single or Multiple Implanting.*



PILOT DRILL / BONE EXPANDER.



Split Master Kit
Catalog No. SSM-02

Our Split Master Kit is used for single or multiple implanting procedures.

BONE CARRIER



BNC-01

SPLIT CHISEL SPC-01 (Set)



4mm Straight SPC-02
4mm Curved SPC-03
6mm Straight SPC-04
6mm Curved SPC-05

SAW



ø 7.0 SAW-01
ø 10.0 SAW-02

SPREADER SCREW



BCT-01-01
Spreader Screw
Spreader

BONE EXPANDER

1. Measure the width of bone.
2. Prepare a pilot osteotomy with the Pilot Drill.
3. Widen the osteotomy with the appropriate Bone Expander.
4. Use extension tool for difficult access between long adjacent teeth.



BONE CRESTER

1. Prepare along the ridge to the desired length using the saw.
2. Deepen the saw cut with the chisels to make space for Spreader.
3. Insert 2 or more Spreaders as required.
4. Expand the bone gradually by adjusting each spreader screw little by little.





Bone Chip Maker *New and improved Bone Chip Maker to save your bone graft cost*



Bone Chip Maker
Catalog No. **BCM2-01**

Our Bone Chip Maker collects bone as you prepare your osteotomy to save your time and bone graft cost.

COMPONENTS



FEATURES


- The blade cylinder is attached to an outer ring for better drilling experience and capacity for bone.
- New depth stops avoid over penetration. A world first!
- Collect bone as you prepare your osteotomy for saving time and bone graft cost.
- Excellent and powerful Z-shaped cutting blade.

DIRECTIONS FOR USE

1. Assemble the Chip Maker with appropriate Depth Stop.
2. Prepare the osteotomy site.
3. Remove the depth stop and separate the blade cylinder from the RA Shank.
4. Remove the bone from the inside of the cylinder Bone Remover.
5. After use, ultrasonic clean and autoclave.



Fixture & Screw Removal Kit *Fixture and Screw Removal Kit Combined*



Fixture & Screw Removal Kit
Catalog No. **FSRK-01**

EACH KIT FEATURES...

FIXTURE REMOVAL KIT

1. An excellent combination of Fixture Removers and Trephine Burs for all eventualities.
2. Remover bur removes implants without bone loss.
3. In Reverse, use the Screw Remover Drill to prepare a channel in the broken screw. The Guide will ensure the channel is in the correct place.
4. Strong and durable.

SCREW REMOVAL KIT

1. Select an appropriate Guide for the damaged abutment.
2. Attach the Guide using the Guide Holder (SRG-H).
3. In Reverse, use the Screw Remover Drill to prepare a channel in the broken screw. The Guide will ensure the channel is in the correct place.
4. Also in Reverse, use the Tap Drill to remove the broken screw.




Fixture Removal Kit
Catalog No. **FRK-01**



Screw Removal Kit
Catalog No. **SRK-01**

FIXTURE REMOVAL KIT FRK-01



SCREW REMOVAL KIT SRK-01



toll free 888-991-7997

Sinus Master Kit



Sinus Master Kit
Catalog No. **SMK3-01**

COMPONENTS

CRESTER DRILLS



ø 2.0 CD-2.0 ø 2.5 CD-2.5 ø 2.8 CD-2.8 ø 3.3 CD-3.3 ø 3.8 CD-3.8 ø 4.2 CD-4.2

CRESTER REAMERS



ø 2.8 SMK2-02-2.8 ø 3.3 SMK2-02-3.3 ø 3.8 SMK2-02-3.8 ø 4.2 SMK2-02-4.2


LATERAL DRILLS AND REAMERS



1mm Drill SMK2-02-4.2 1mm Drill SMK2-03-6.5-1 2mm Reamer SMK2-03-2 3mm Reamer SMK2-03-3

FOR LATERAL AND CRESTAL SINUS LIFTING

CRESTER DRILL



LATERAL DRILL




1. A lateral Maxillary window can be created efficiently with the Lateral Drills.
2. For Crestal approach, first use the Crest Drill with appropriate depth stop until the last 1mm.
3. Finish the last 1mm with Crest Reamer with 1mm depth stop attached joined. The Crest Reamer is made of diamond particles to avoid snagging the membrane.
4. Use sinus lift instruments to lift up the sinus membrane.

Sinus Master Kit

COMPONENTS

STOPPERS



1mm MAS-02-01 2mm MAS-02-02 3mm MAS-02-03 4mm MAS-02-04 5mm MAS-02-05 6mm MAS-02-06 7mm MAS-02-07 8mm MAS-02-08

AQUA SYSTEM



ø 2.8 WSL-01-2.8 ø 3.0 WSL-01-3.0 ø 3.3 WSL-01-3.3 ø 3.5 WSL-01-3.5 ø 3.8 WSL-01-3.8 ø 4.0 WSL-01-4.0 ø 4.2 WSL-01-4.2 ø 4.5 WSL-01-4.5

AQUA TIP

1. Insert the Aqua Tip into the osteotomy.
2. Fill the syringe with saline and connect the tubing.
3. Fit the syringe into the Syringe Roller and attach the tubing to the Aqua Tip.
4. To gently lift up the membrane, turn the screw on the Syringe Roller.



Catalog No. **WSL-01-01**

SINUS LIFT



Sinus Lift 1 YSL-01

Sinus Lift 2 YSL-02


Sinus Lift 3 YSL-03

Sinus Lift Crestal 2 SLC-02

CortiOss *Cortical Bone in Powder and Chip*

Implants must be firmly anchored to the jawbone to be effective. If the jawbone lacks the necessary quality or quantity of bone, bone grafting can strengthen and thicken the implant site.

CortiOss is a Freeze Dried Bone Allograft (FDBA) composed of 100% cortical bone. SpiralTech's freeze-dried cortical bone maintains all the growth factors, proteins, and minerals that are related to promoting new bone formation. Since cortical bone is much denser and harder compared to cancellous bone, its mechanical strength provides excellent structural maintenance. CortiOss can be rehydrated with patient's blood or saline solution and is provided in a specially designed syringe for user's convenience.



FDBA (Cortical Bone)

- Excellent space maintenance
- Provides lamellar structure that remodels to natural bone
- Indicated for sinus grafting, socket extraction, and ridge augmentation



POWDER TYPE



CHIP TYPE

- 100% freeze dried cortical bone
- Cortical structure remodels to host bone
- Osteoconductive and Osteoinductive ability
- Curved syringe for easy use
- Excellent Biocompatibility


CortiOss Specification

Product	Type	Particle Size	Size	Catalog No.	Contents
CortiOss	Powder	200-850µm	0.25cc	SOP025	Cortical Bone
			0.5cc	SOP050	
			1.0cc	SOP100	
			2.0cc	SOP200	

Product	Type	Particle Size	Size	Catalog No.	Contents
CortiOss	Chip	850-1500µm	0.25cc	SOC025	Cortical Bone
			0.5cc	SOC050	
			1.0cc	SOC100	
			2.0cc	SOC200	

CortiOss-D *Demineralized Cortical Bone in Powder and Chip*

CortiOss-D is a Demineralized Freeze Dried Bone Allograft (DFDBA) composed of 100% demineralized cortical bone. Demineralization increases the osteoinductive ability because growth factors such as BMP becomes viable and induce mesenchymal cells to differentiate into osteoblast. The lyophilization technology made it possible to increase the shelf life DFDBA such as CortiOss-D so it can be stored for a long period of time. CortiOss-D can be rehydrated with patient's blood or saline solution and is provided in a specially designed syringe for user's convenience.



DFDBA (Cortical Bone)

- Demineralized cortical bone matrix without lipid or mineral components.
- Growth factors, such as BMP, help bone regeneration through osteoinduction.

- 100% Demineralized Cortical Bone Allograft
- Powerful Osteoinductive ability
- Increased shelf life
- Curved syringe for easy use
- Excellent Biocompatibility

CortiOss-D Specification

Product	Type	Particle Size	Size	Catalog No.	Contents
CortiOss-D	Powder	200-850µm	0.25cc	DSOP025	Demineralized Cortical Bone
			0.5cc	DSOP050	
			1.0cc	DSOP100	
			2.0cc	DSOP200	

Product	Type	Particle Size	Size	Catalog No.	Contents
CortiOss-D	Chip	850-1500µm	0.25cc	DSOC025	Demineralized Cortical Bone
			0.5cc	DSOC050	
			1.0cc	DSOC100	
			2.0cc	DSOC200	




POWDER TYPE



CHIP TYPE


ConiOss *Cortical and Cancellous Bone in Powder and Chip*

ConiOss is a Freeze Dried Bone Allograft (FDBA) composed of cortical and cancellous bone. Optimized porosity of cancellous bone provides the optimal scaffold for bone tissue to migrate and promote intercellular bone growth. The compactness of the cortical bone is excellent at maintaining structural support as new bone formation occurs. ConiOss can be rehydrated with patient's blood or saline solution and is provided in a specially designed syringe for user's convenience.



Cortical Bone

- Excellent space maintenance
- Provides lamellar structure that remodels to natural bone
- Indicated for sinus grafting, socket extraction, and ridge augmentation



Cancellous Bone

- Open trabecular structure comprised of interconnected pores
- Ideal structure for bone cell infiltration

ConiOss Specification

Product	Type	Particle Size	Size	Catalog No.	Contents
ConiOss	Powder	200-850µm	0.25cc	CCP025	Cortical Bone Cancellous Bone
			0.5cc	CCP050	
			1.0cc	CCP100	
			2.0cc	CCP200	

Product	Type	Particle Size	Size	Catalog No.	Contents
ConiOss	Chip	850-1500µm	0.25cc	CCC025	Cortical Bone Cancellous Bone
			0.5cc	CCC050	
			1.0cc	CCC100	
			2.0cc	CCC200	



- **100% Freeze Dried Bone Allograft (FDBA)**
- **Great Osteoinductive and Osteoconductive ability**
- **50% Cortical and 50% Cancellous Bone**
- **Curved syringe for easy use**
- **Excellent Biocompatibility**

SpiralTech Motors and Hand-Held Drills

Our motors are an industry best; it is the most powerful and intelligent implant motor on the market today. It can be used for surgical, implant or endodontic applications; reducing the amount of clutter in the operating room. The adjustable torque is featured and allows you to have complete and precise control.



INDEX

PRODUCT	SKU	PAGE
Analog for Multi-Unit	MAMU1201	23
Anatomic Conical NP (Titanium, ø4.5mm, 1mm)	ATACNP4510	21
Anatomic Conical NP (Titanium, ø4.5mm, 2mm)	ATACNP4520	21
Anatomic Conical NP (Titanium, ø4.5mm, 3mm)	ATACNP4530	21
Anatomic Conical NP (Titanium, ø4.5mm, 4mm)	ATACNP4540	21
Anatomic Conical NP (Titanium, ø4.5mm, 1mm)	ATACRP4510	21
Anatomic Conical NP (Titanium, ø4.5mm, 2mm)	ATACRP4520	21
Anatomic Conical NP (Titanium, ø4.5mm, 3mm)	ATACRP4530	21
Anatomic Conical NP (Titanium, ø4.5mm, 4mm)	ATACRP4540	21
Anatomic Conical RP (Titanium, ø5.5mm, 1mm)	ATACRP5510	21
Anatomic Conical RP (Titanium, ø5.5mm, 2mm)	ATACRP5520	21
Anatomic Conical RP (Titanium, ø5.5mm, 3mm)	ATACRP5530	21
Anatomic Hex (Titanium, ø4.5mm, 1mm)	ATAH4510	21
Anatomic Hex (Titanium, ø4.5mm, 2mm)	ATAH4520	21
Anatomic Hex (Titanium, ø4.5mm, 3mm)	ATAH4530	21
Anatomic Hex (Titanium, ø4.5mm, 4mm)	ATAH4540	21
Anatomic Hex (Titanium, ø5.5mm, 1mm)	ATAH5510	21
Anatomic Hex (Titanium, ø5.5mm, 2mm)	ATAH5520	21
Anatomic Hex (Titanium, ø5.5mm, 3mm)	ATAH5530	21
Anatomic Zirconia Ti Base Conical NP (ø4.5mm, 1mm)	AZACTNP4510	22
Anatomic Zirconia Ti Base Conical NP (ø4.5mm, 2mm)	AZACTNP4520	22
Anatomic Zirconia Ti Base Conical NP (ø4.5mm, 3mm)	AZACTNP4530	22
Anatomic Zirconia Ti Base Hex (ø4.5mm, 1mm)	AZAHT4510	22
Anatomic Zirconia Ti Base Hex (ø4.5mm, 2mm)	AZAHT4520	22
Anatomic Zirconia Ti Base Hex (ø4.5mm, 3mm)	AZAHT4530	22
Angled 17° Multi Abutment Conical NP (1mm)	17MUANP1	23
Angled 17° Multi Abutment Conical NP (2mm)	17MUANP2	23
Angled 17° Multi Abutment Conical NP (3mm)	17MUANP3	23
Angled 17° Multi Abutment Conical NP (1mm)	17MUARP1	23
Angled 17° Multi Abutment Conical NP (2mm)	17MUARP2	23
Angled 17° Multi Abutment Conical NP (3mm)	17MUARP3	23
Angled 17° Multi Abutment Hex (1mm)	17MUAH1	23
Angled 17° Multi Abutment Hex (2mm)	17MUAH2	23
Angled 17° Multi Abutment Hex (3mm)	17MUAH3	23
Angled 30° Multi Abutment Conical NP (1mm)	30MUANP1	23
Angled 30° Multi Abutment Conical NP (2mm)	30MUANP2	23
Angled 30° Multi Abutment Conical NP (3mm)	30MUANP3	23
Angled 30° Multi Abutment Conical NP (1mm)	30MUARP1	23
Angled 30° Multi Abutment Conical NP (2mm)	30MUARP2	23
Angled 30° Multi Abutment Conical NP (3mm)	30MUARP3	23
Angled 30° Multi Abutment Hex (1mm)	30MUAH1	23
Angled 30° Multi Abutment Hex (2mm)	30MUAH2	23
Angled 30° Multi Abutment Hex (3mm)	30MUAH3	23
Angulated 15° Conical NP (Titanium, ø4.7mm, 1mm)	15ATACNP4710	21
Angulated 15° Conical NP (Titanium, ø4.7mm, 2mm)	15ATACNP4720	21
Angulated 15° Conical NP (Titanium, ø4.7mm, 3mm)	15ATACNP4730	21
Angulated 15° Conical RP (Titanium, ø4.7mm, 1mm)	15ATACRP4710	21
Angulated 15° Conical RP (Titanium, ø4.7mm, 2mm)	15ATACRP4720	21
Angulated 15° Conical RP (Titanium, ø4.7mm, 3mm)	15ATACRP4730	21
Angulated 15° Hex (Titanium, ø4.7mm, 1mm)	15ATAH4710	21
Angulated 15° Hex (Titanium, ø4.7mm, 2mm)	15ATAH4720	21
Angulated 15° Hex (Titanium, ø4.7mm, 3mm)	15ATAH4730	21
Angulated 15° Zirconia Ti Base Conical NP (ø5.35mm, 1mm)	15AZACNP5350	22
Angulated 15° Zirconia Ti Base Conical NP (ø5.35mm, 2mm)	15AZACNP5352	22
Angulated 15° Zirconia Ti Base Conical NP (ø5.35mm, 3mm)	15AZACNP5353	22
Angulated 15° Zirconia Ti Base Conical RP (ø5.35mm, 1mm)	15AZACRP5350	22
Angulated 15° Zirconia Ti Base Conical RP (ø5.35mm, 2mm)	15AZACRP5352	22
Angulated 15° Zirconia Ti Base Conical RP (ø5.35mm, 3mm)	15AZACRP5353	22
Angulated 15° Zirconia Ti Base Hex (ø5.35mm, 1mm)	15AZAH5350	22
Angulated 15° Zirconia Ti Base Hex (ø5.35mm, 2mm)	15AZAH5352	22
Angulated 15° Zirconia Ti Base Hex (ø5.35mm, 3mm)	15AZAH5353	22
Angulated 25° Conical NP (Titanium, ø5.2mm, 1mm)	25ATACNP5210	21
Angulated 25° Conical NP (Titanium, ø5.2mm, 2mm)	25ATACNP5220	21
Angulated 25° Conical NP (Titanium, ø5.2mm, 3mm)	25ATACNP5230	21
Angulated 25° Conical RP (Titanium, ø5.2mm, 1mm)	25ATACRP5210	21
Angulated 25° Conical RP (Titanium, ø5.2mm, 2mm)	25ATACRP5220	21

PRODUCT	SKU	PAGE
Angulated 25° Conical RP (Titanium, ø5.2mm, 3mm)	25ATACRP5230	21
Angulated 25° Hex (Titanium, ø5.2mm, 1mm)	25ATAH5210	21
Angulated 25° Hex (Titanium, ø5.2mm, 2mm)	25ATAH5220	21
Angulated 25° Hex (Titanium, ø5.2mm, 3mm)	25ATAH5230	21
Angulated 30° Conical NP (Titanium, ø5.35mm, 2mm)	30ATACNP5320	22
Angulated 30° Conical NP (Titanium, ø5.35mm, 3mm)	30ATACNP5330	22
Angulated 30° Conical NP (Titanium, ø5.35mm, 4mm)	30ATACNP5340	22
Angulated 30° Conical NP (Titanium, ø5.35mm, 5mm)	30ATACNP5350	22
Angulated 30° Conical RP (Titanium, ø5.35mm, 2mm)	30ATACRP5320	22
Angulated 30° Conical RP (Titanium, ø5.35mm, 3mm)	30ATACRP5330	22
Angulated 30° Conical RP (Titanium, ø5.35mm, 4mm)	30ATACRP5340	22
Angulated 30° Conical RP (Titanium, ø5.35mm, 5mm)	30ATACRP5350	22
Angulated 30° Hex (Titanium, ø5.35mm, 2mm)	30ATAH5320	22
Angulated 30° Hex (Titanium, ø5.35mm, 3mm)	30ATAH5330	22
Angulated 30° Hex (Titanium, ø5.35mm, 4mm)	30ATAH5340	22
Angulated 30° Hex (Titanium, ø5.35mm, 5mm)	30ATAH5350	22
Angulated Abutment Screw Conical NP	SCACNP76	25
Angulated Abutment Screw Conical RP	SCACRP76	25
Angulated Abutment Screw Hex	SCA76	25
Angulated and Straight Abutment Screw Conical NP	SCACNP83	25
Angulated and Straight Abutment Screw Conical RP	SCACRP83	25
Angulated and Straight Abutment Screw Hex	SCA83	25
Aqua System (ø2.8mm)	WLS-01-2.8	41
Aqua System (ø3.0mm)	WLS-01-3.0	41
Aqua System (ø3.3mm)	WLS-01-3.3	41
Aqua System (ø3.5mm)	WLS-01-3.5	41
Aqua System (ø3.8mm)	WLS-01-3.8	41
Aqua System (ø4.0mm)	WLS-01-4.0	41
Aqua System (ø4.2mm)	WLS-01-4.2	41
Aqua System (ø4.5mm)	WLS-01-4.5	41
Aqua Tip	WLS-01-01	41
Ball Attachment Conical NP (ø4mm, 1mm)	BAHNP1	24
Ball Attachment Conical NP (ø4mm, 2mm)	BAHNP2	24
Ball Attachment Conical NP (ø4mm, 3mm)	BAHNP3	24
Ball Attachment Conical NP (ø4mm, 4mm)	BAHNP4	24
Ball Attachment Conical NP (ø4mm, 5mm)	BAHNP5	24
Ball Attachment Conical NP (ø4mm, 6mm)	BAHNP6	24
Ball Attachment Conical NP (ø4mm, 1mm)	BAHRP1	24
Ball Attachment Conical NP (ø4mm, 2mm)	BAHRP2	24
Ball Attachment Conical NP (ø4mm, 3mm)	BAHRP3	24
Ball Attachment Conical NP (ø4mm, 4mm)	BAHRP4	24
Ball Attachment Conical NP (ø4mm, 5mm)	BAHRP5	24
Ball Attachment Conical NP (ø4mm, 6mm)	BAHRP6	24
Ball Attachment Hex (ø4mm, 1mm)	BAH1	24
Ball Attachment Hex (ø4mm, 2mm)	BAH2	24
Ball Attachment Hex (ø4mm, 3mm)	BAH3	24
Ball Attachment Hex (ø4mm, 4mm)	BAH4	24
Ball Attachment Hex (ø4mm, 5mm)	BAH5	24
Ball Attachment Hex (ø4mm, 6mm)	BAH6	24
Ball Attachment Cover (Conical, Metal)	MAC1	24
Ball Attachment Cover (Conical, Standard Plastic)	CD-2.5	24
Ball Attachment Cover (Conical, Soft Plastic)	NIP2	24
Ball Attachment Cover (Conical, Hard Plastic)	NIP3	24
Ball Attachment Cover (Hex, Metal)	MAH1	24
Ball Attachment Cover (Hex, Standard Plastic)	NIS1	24
Ball Attachment Cover (Hex, Soft Plastic)	NIS2	24
Ball Attachment Cover (Hex, Hard Plastic)	NIS3	24
Bone Carrier	BNC-01	37
Bone Chip Maker	BCM2-01	31
Bone Chip Maker Tip (ø3.4mm)	BCM2-01-01	38
Bone Chip Maker Tip (ø3.9mm)	BCM2-01-02	38
Bone Chip Maker Tip (ø4.2mm)	BCM2-01-03	38
Bone Chip Maker Tip (ø5.2mm)	BCM2-01-04	38
Bone Chip Maker Stopper (11mm)	BCM2-01-06	38
Bone Chip Maker Stopper (10mm)	BCM2-01-07	38
Bone Chip Maker Stopper (7mm)	BCM2-01-08	38

PRODUCT	SKU	PAGE
Bone Chip Maker Stopper (5mm)	BCM2-01-09	38
Bone Expander Kit	BYS-01	36
Bone Remover	BCM2-01-05	38
Close Tray Transfer	MTMU8005	23
Closed Tray Impression Transfer Conical NP (10mm)	ITCCNP10	20
Closed Tray Impression Transfer Conical NP (15mm)	ITCCNP15	20
Closed Tray Impression Transfer Conical NP (10mm)	ITCCRP10	20
Closed Tray Impression Transfer Conical NP (15mm)	ITCCRP15	20
Closed Tray Impression Transfer Hex (10mm)	ITCH10	20
Closed Tray Impression Transfer Hex (15mm)	ITCH15	20
ConiOss Chip (0.25cc)	CCO025	45
ConiOss Chip (0.5cc)	CCO050	45
ConiOss Chip (1.0cc)	CCO100	45
ConiOss Powder (0.25cc)	CCP025	45
ConiOss Powder (0.5cc)	CCP050	45
ConiOss Powder (1.0cc)	CCP100	45
Connecting Screws Conical NP (6mm)	SCACNP05	25
Connecting Screws Conical NP (7mm)	SCACNP15	25
Connecting Screws Conical NP (8mm)	SCACNP25	25
Connecting Screws Conical RP (6mm)	SCACRP05	25
Connecting Screws Conical RP (7mm)	SCACRP15	25
Connecting Screws Conical RP (8mm)	SCACRP25	25
Connecting Screws Hex (6mm)	WLS-01-2.8	25
Connecting Screws Hex (7mm)	SECA15	25
Connecting Screws Hex (8mm)	SECA25	25
Contra Hand Piece	TIAN321	46
Contra Hand Piece	TIAN201	46
CortiOss Chip (0.25cc)	SOC025	43
CortiOss Chip (0.5cc)	SOC050	43
CortiOss Chip (1.0cc)	SOC100	43
CortiOss Powder (0.25cc)	SOP025	43
CortiOss Powder (0.5cc)	SOP050	43
CortiOss Powder (1.0cc)	SOP100	43
CortiOss-D Chip (0.25cc)	DSOC025	44
CortiOss-D Chip (0.5cc)	DSOC050	44
CortiOss-D Chip (1.0cc)	DSOC100	44
CortiOss-D Powder (0.25cc)	DSOP025	44
CortiOss-D Powder (0.5cc)	DSOP050	44
CortiOss-D Powder (1.0cc)	DSOP100	44
Countersink Drill	CURS456	28-29
Cover Screw Conical NP (ø3.5mm)	CSCNP35R	20
Cover Screw Conical NP (ø4.3mm)	CSCRP43B	20
Cover Screw Conical NP (ø5.0mm)	CSCRP50G	20
Cover Screw Conical RP (ø6.0mm)	CSCR60Y	20
Cover Screw Hex (ø3.5mm)	CSH35R	20
Cover Screw Hex (ø4.3mm)	CSH43B	20
Cover Screw Hex (ø5.0mm)	CSH50G	20
Cover Screw Hex (ø6.0mm)	CSH60Y	20
Crester Drills (ø2.0mm)	CD-2.0	40
Crester Drills (ø2.5mm)	CD-2.5	40
Crester Drills (ø2.8mm)	CD-2.8	40
Crester Drills (ø3.3mm)	CD-3.3	40
Crester Drills (ø3.8mm)	CD-3.8	40
Crester Drills (ø4.2mm)	CD-4.2	40
Crester Reamers (ø2.8mm)	SMK2-02-2.8	40
Crester Reamers (ø3.3mm)	SMK2-02-3.3	40
Crester Reamers (ø3.8mm)	SMK2-02-3.8	40
Crester Reamers (ø4.2mm)	SMK2-02-4.2	40
Depth Gauge	DDM15	31
Drill Extender	DE26	31
Drill Stoppers (14.3mm, Red Red)	BRS800	30
Drill Stoppers (12.3mm, Red Blue)	RBS100	30
Drill Stoppers (10.8mm, Red Green)	RGS115	30
Drill Stoppers (9.3mm, Red Yellow)	RYS130	30
Drill Stoppers (14.3mm, Blue Red)	BRS800	30
Drill Stoppers (12.3mm, Blue Blue)	BBS100	30

PRODUCT	SKU	PAGE
Dynamic/Ultimate Surgical Drill 6	DUAL6	29
Dynamic/Ultimate Surgical Drill 7	DUAL7	29
Dynamic/Ultimate Surgical Drill 8	DUAL8	29
ESI Implant Conical NP (ø3.3mm, 10.0mm)	ESIC33010	11
ESI Implant Conical NP (ø3.3mm, 11.5mm)	ESIC33011	11
ESI Implant Conical NP (ø3.3mm, 13.0mm)	ESIC33013	11
ESI Implant Conical NP (ø3.3mm, 15.0mm)	ESIC33015	11
ESI Implant Conical NP (ø3.5mm, 8.0mm)	ESIC35008	11
ESI Implant Conical NP (ø3.5mm, 10.0mm)	ESIC35010	11
ESI Implant Conical NP (ø3.5mm, 11.5mm)	ESIC35011	11
ESI Implant Conical NP (ø3.5mm, 13.0mm)	ESIC35013	11
ESI Implant Conical NP (ø3.5mm, 15.0mm)	ESIC35015	11
ESI Implant Conical NP (ø4.3mm, 10.0mm)	ESIC43010	11
ESI Implant Conical NP (ø4.3mm, 11.5mm)	ESIC43011	11
ESI Implant Conical NP (ø4.3mm, 13.0mm)	ESIC43013	11
ESI Implant Conical NP (ø4.3mm, 15.0mm)	ESIC43015	11
ESI Implant Conical NP (ø5.0mm, 8.0mm)	ESIC50008	11
ESI Implant Conical NP (ø5.0mm, 10.0mm)	ESIC50010	11
ESI Implant Conical NP (ø5.0mm, 11.5mm)	ESIC50011	11
ESI Implant Conical NP (ø5.0mm, 13.0mm)	ESIC50013	11
ESI Implant Conical NP (ø5.0mm, 15.0mm)	ESIC50015	11
ESI Implant Conical NP (ø6.0mm, 8.0mm)	ESIC60008	11
ESI Implant Conical NP (ø6.0mm, 10.0mm)	ESIC60010	11
ESI Implant Conical NP (ø6.0mm, 11.5mm)	ESIC60011	11
ESI Implant Conical NP (ø6.0mm, 13.0mm)	ESIC60013	11
ESI Implant Conical NP (ø6.0mm, 15.0mm)	ESIC60015	11
ESI Implant Hex (ø3.3mm, 10.0mm)	ESI33010	11
ESI Implant Hex (ø3.3mm, 11.5mm)	ESI33011	11
ESI Implant Hex (ø3.3mm, 13.0mm)	ESI33013	11
ESI Implant Hex (ø3.3mm, 15.0mm)	ESI33015	11
ESI Implant Hex (ø3.5mm, 8.0mm)	ESI35008	11
ESI Implant Hex (ø3.5mm, 10.0mm)	ESI35010	11
ESI Implant Hex (ø3.5mm, 11.5mm)	ESI35011	11
ESI Implant Hex (ø3.5mm, 13.0mm)	ESI35013	11
ESI Implant Hex (ø3.5mm, 15.0mm)	ESI35015	11
ESI Implant Hex (ø4.3mm, 10.0mm)	ESI43010	11
ESI Implant Hex (ø4.3mm, 11.5mm)	ESI43011	11
ESI Implant Hex (ø4.3mm, 13.0mm)	ESI43013	11
ESI Implant Hex (ø4.3mm, 15.0mm)	ESI43015	11
ESI Implant Hex (ø5.0mm, 8.0mm)	ESI50008	11
ESI Implant Hex (ø5.0mm, 10.0mm)	ESI50010	11
ESI Implant Hex (ø5.0mm, 11.5mm)	ESI50011	11
ESI Implant Hex (ø5.0mm, 13.0mm)	ESI50013	11
ESI Implant Hex (ø5.0mm, 15.0mm)	ESI50015	11
ESI/Premium Implants Surgical Tray (Grade 2)	STG2	28
ESI/Premium Surgical Drill 1	ESIPR1	28
ESI/Premium Surgical Drill 2	ESIPR2	28
ESI/Premium Surgical Drill 3	ESIPR3	28
ESI/Premium Surgical Drill 4	ESIPR4	28
ESI/Premium Surgical Drill 5	ESIPR5	28
ESI/Premium Surgical Drill 6	ESIPR6	28
ESI/Premium Surgical Drill 7	ESIPR7	28
ESI/Premium Surgical Drill 8	ESIPR8	28

PRODUCT	SKU	PAGE
Essentials Surgical Casette	ESURCK1	32
Expander Drill (ø2.6mm)	SBE-2.6	36-37
Expander Drill (ø3.0mm)	SBE-3.0	36-37
Expander Drill (ø3.4mm)	SBE-3.4	36-37
Expander Drill (ø3.8mm)	SBE-3.8	36-37
Expander Drill (ø4.3mm)	SBE-4.3	36-37
Fixture and Screw Removal Kit	FSRK-01	39
Fixture Removal Drill	FRD-01	39
Fixture Removal Drill Trephine Bur (ø3.5mm)	FRT-3.7/4.4	39
Fixture Removal Drill Trephine Bur (ø3.7mm)	FRT-3.9/4.6	39
Fixture Removal Drill Trephine Bur (ø4.1mm)	FRT-4.3/5.0	39
Fixture Removal Drill Trephine Bur (ø4.5mm)	FRT-4.7/5.4	39
Fixture Removal Drill Trephine Bur (ø5.0mm)	FRT-5.2/5.9	39
Fixture Removal Drill Trephine Bur (ø5.5mm)	FRT-5.7/6.4	39
Fixture Removal Drill Trephine Bur (ø6.0mm)	FRT-6.2/6.9	39
Fixture Removal Kit	FRK-01	39
Flat Esthetic Connection Conical NP (10mm)	FPACNP1001	22
Flat Esthetic Connection Conical NP (11mm)	FPACNP1102	22
Flat Esthetic Connection Conical NP (12mm)	FPACNP1203	22
Flat Esthetic Connection Conical NP (10mm)	FPACRP1001	22
Flat Esthetic Connection Conical NP (11mm)	FPACRP1102	22
Flat Esthetic Connection Conical NP (12mm)	FPACRP1203	22
Flat Esthetic Connection Hex (10mm)	FPAH1001	22
Flat Esthetic Connection Hex (11mm)	FPAH1102	22
Flat Esthetic Connection Hex (12mm)	FPAH1203	22
Flat Narrow Conical NP (Titanium, ø3.8mm, 5mm)	FTACNP3805	21
Flat Narrow Conical NP (Titanium, ø3.8mm, 7mm)	FTACNP3807	21
Flat Narrow Conical NP (Titanium, ø3.8mm, 9mm)	FTACNP3809	21
Flat Narrow Conical NP (Titanium, ø3.8mm, 11mm)	FTACNP3811	21
Flat Narrow Conical NP (Titanium, ø3.8mm, 5mm)	FTACRP3805	21
Flat Narrow Conical NP (Titanium, ø3.8mm, 7mm)	FTACRP3807	21
Flat Narrow Conical NP (Titanium, ø3.8mm, 9mm)	FTACRP3809	21
Flat Narrow Conical NP (Titanium, ø3.8mm, 11mm)	FTACRP3811	21
Flat Standard Conical NP (Titanium, ø4.5mm, 5mm)	FTACNP4505	21
Flat Standard Conical NP (Titanium, ø4.5mm, 7mm)	FTACNP4507	21
Flat Standard Conical NP (Titanium, ø4.5mm, 9mm)	FTACNP4509	21
Flat Standard Conical NP (Titanium, ø4.5mm, 11mm)	FTACNP4511	21
Flat Standard Conical NP (Titanium, ø4.5mm, 5mm)	FTACRP4505	21
Flat Standard Conical NP (Titanium, ø4.5mm, 7mm)	FTACRP4507	21
Flat Standard Conical NP (Titanium, ø4.5mm, 9mm)	FTACRP4509	21
Flat Standard Conical NP (Titanium, ø4.5mm, 11mm)	FTACRP4511	21
Flat Standard Hex (Titanium, ø4.5mm, 5mm)	FTAHS505	21
Flat Standard		



INDEX

PRODUCT	SKU	PAGE
Flat Straight Shoulder Conical RP (Titanium, ø3.8mm, 3mm)	FTASCRP3830	21
Flat Straight Shoulder Conical RP (Titanium, ø4.5mm, 1mm)	FTASCRP4510	21
Flat Straight Shoulder Conical RP (Titanium, ø4.5mm, 2mm)	FTASCRP4520	21
Flat Straight Shoulder Conical RP (Titanium, ø4.5mm, 3mm)	FTASCRP4530	21
Flat Straight Shoulder Conical RP (Titanium, ø4.5mm, 4mm)	FTASCRP4540	21
Flat Straight Shoulder Conical RP (Titanium, ø5.5mm, 1mm)	FTASCRP5510	21
Flat Straight Shoulder Conical RP (Titanium, ø5.5mm, 2mm)	FTASCRP5520	21
Flat Straight Shoulder Conical RP (Titanium, ø5.5mm, 3mm)	FTASCRP5530	21
Flat Straight Shoulder Hex (Titanium, ø3.8mm, 1mm)	FTASH3810	21
Flat Straight Shoulder Hex (Titanium, ø3.8mm, 2mm)	FTASH3820	21
Flat Straight Shoulder Hex (Titanium, ø3.8mm, 3mm)	FTASH3830	21
Flat Straight Shoulder Hex (Titanium, ø4.5mm, 1mm)	FTASH4510	21
Flat Straight Shoulder Hex (Titanium, ø4.5mm, 2mm)	FTASH4520	21
Flat Straight Shoulder Hex (Titanium, ø4.5mm, 3mm)	FTASH4530	21
Flat Straight Shoulder Hex (Titanium, ø4.5mm, 4mm)	FTASH4540	21
Flat Straight Shoulder Hex (Titanium, ø5.5mm, 1mm)	FTASH5510	21
Flat Straight Shoulder Hex (Titanium, ø5.5mm, 2mm)	FTASH5520	21
Flat Straight Shoulder Hex (Titanium, ø5.5mm, 3mm)	FTASH5530	21
Hand Adapter	ADAPTER-H	36-37
Hand Wrench	TWRCHT	31
Handpiece Adapter	ADAPTER-A	36
Healing Cap for Multi-Unit Abutment	MHCC4550	23
Implant Carrier Conical NP (5mm)	ICNP5	20
Implant Carrier Conical NP (10mm)	ICNP10	20
Implant Carrier Conical NP (5mm)	ICRP5	20
Implant Carrier Conical NP (10mm)	ICRP10	20
Implant Carrier Hex (5mm)	ICH5	20
Implant Carrier Hex (10mm)	ICH10	20
Implant Guide (ø6.0mm)	IGK01-G6	42
Implant Guide (ø7.5mm)	IGK01-G75	42
Implant Guide (ø9.0mm)	IGK01-G9	42
Implant Guide (ø10.5mm)	IGK01-G105	42
Implant Guide (ø12.0mm)	IGK01-G12	42
Implant Guide Bone Remover	IGK01-BR	42
Implant Guide Drill (ø2.0mm, 8.0mm)	IGK01-20-8	42
Implant Guide Drill (ø2.0mm, 10.0mm)	IGK01-20-10	42
Implant Guide Drill (ø4.0mm)	IGK01-40	42
Implant Guide Drill (ø5.0mm)	IGK01-50	42
Implant Guide Post (ø6.0mm)	IGK01-P6	42
Implant Guide Post (ø7.5mm)	IGK01-P75	42
Implant Guide Post (ø9.0mm)	IGK01-P9	42
Implant Guide Post (ø10.5mm)	IGK01-P105	42
Implant Guide Post (ø12.0mm)	IGK01-P12	42
Implant Guide Kit	IGK01	42
Implant Motor Machine	IMM60	46
Implant Prosthetic Indicator Conical NP (1mm)	LOHNP1	24
Implant Prosthetic Indicator Conical NP (2mm)	LOHNP2	24
Implant Prosthetic Indicator Conical NP (3mm)	LOHNP3	24
Implant Prosthetic Indicator Conical NP (4mm)	LOHNP4	24
Implant Prosthetic Indicator Conical NP (5mm)	LOHNP5	24
Implant Prosthetic Indicator Conical NP (6mm)	LOHNP6	24
Implant Prosthetic Indicator Conical RP (1mm)	LOHRP1	24
Implant Prosthetic Indicator Conical RP (2mm)	LOHRP2	24
Implant Prosthetic Indicator Conical RP (3mm)	LOHRP3	24
Implant Prosthetic Indicator Conical RP (4mm)	LOHRP4	24
Implant Prosthetic Indicator Conical RP (5mm)	LOHRP5	24
Implant Prosthetic Indicator Conical RP (6mm)	LOHRP6	24
Implant Prosthetic Indicator Hex (1mm)	LOH1	24
Implant Prosthetic Indicator Hex (2mm)	LOH2	24
Implant Prosthetic Indicator Hex (3mm)	LOH3	24
Implant Prosthetic Indicator Hex (4mm)	LOH4	24
Implant Prosthetic Indicator Hex (5mm)	LOH5	24
Implant Prosthetic Indicator Hex (6mm)	LOH6	24
Lab Analog Gold-Plated Conical NP	ECACNP15	25
Lab Analog Gold-Plated Conical RP	ECACRP15	25
Lab Analog Gold-Plated Hex	ECA15	25

PRODUCT	SKU	PAGE
Lab Analog Stainless Steel Conical NP (ø4.0mm)	ECACNP05	25
Lab Analog Stainless Steel Conical RP (ø4.0mm)	ECACRP05	25
Lab Analog Stainless Steel Hex (ø4.0mm)	ECA05	25
Lab Analog Stainless Steel Conical NP (ø3.3mm)	ECACNP25	25
Lab Analog Stainless Steel Conical RP (ø3.3mm)	ECACRP25	25
Lab Sleeve Plastic Hex (ø3.3mm)	ECA25	25
Lab Sleeve Plastic Hex	SP8218	25
Lab Sleeve Plastic Conical	SPC8218	25
Lab Sleeve Plastic and Titanium Hex	SPT3112	25
Lab Sleeve Plastic and Titanium Conical	SPTC3112	25
Lateral Drill (1mm)	SMK2-03-6-5-1	40
Lateral Reamer (2mm)	SMK2-03-2	40
Lateral Reamer (3mm)	SMK2-03-3	40
Motor Mount Implant Driver Conical NP (22mm)	MMCNP222	31
Motor Mount Implant Driver Conical NP (28mm)	MMCNP228	31
Motor Mount Implant Driver Conical RP (22mm)	MMCRP222	31
Motor Mount Implant Driver Conical RP (28mm)	MMCRP228	31
Motor Mount Implant Driver Hex (28mm)	MMH228	31
Motor Mount Implant Driver Hex (22mm)	MMH222	31
Motor Mount Screw Driver Hex (28mm)	MMH128	31
Motor Mount Screw Driver Hex (22mm)	MMH122	31
Open Tray Transfer (Screw Included)	MTMU1200	23
Open Tray Impression Transfer Conical NP (10mm)	ITOCNP10	20
Open Tray Impression Transfer Conical NP (15mm)	ITOCNP15	20
Open Tray Impression Transfer Conical RP (10mm)	ITONCRP10	20
Open Tray Impression Transfer Conical RP (15mm)	ITONCRP15	20
Open Tray Impression Transfer Hex (10mm)	ITOH10	20
Open Tray Impression Transfer Hex (15mm)	ITOH15	20
Open Tray Transfer Screw Conical NP	ITSNP	20
Open Tray Transfer Screw Conical RP	ITSRP	20
Open Tray Transfer Screw Hex	ITSH	20
Osteotome Sinus Lift Kit	OSTSL	34
Periosteum Extraction Kit	PEREX	33
Pilot Drill (ø1.8mm)	PLD-1.8	36-37
Plastic for Close Tray Transfer	MWQP0011	23
Plastic Sleeve (Screw Included)	MUPS0032	23
Premium Implant Conical NP (ø3.3mm, 10.0mm)	PRC33010	13
Premium Implant Conical NP (ø3.3mm, 11.5mm)	PRC33011	13
Premium Implant Conical NP (ø3.3mm, 13.0mm)	PRC33013	13
Premium Implant Conical NP (ø3.3mm, 15.0mm)	PRC33015	13
Premium Implant Conical NP (ø3.5mm, 8.0mm)	PRC35008	13
Premium Implant Conical NP (ø3.5mm, 10.0mm)	PRC35010	13
Premium Implant Conical NP (ø3.5mm, 11.5mm)	PRC35011	13
Premium Implant Conical NP (ø3.5mm, 13.0mm)	PRC35013	13
Premium Implant Conical NP (ø3.5mm, 15.0mm)	PRC35015	13
Premium Implant Conical NP (ø4.3mm, 6.0mm)	PR43006	13
Premium Implant Conical NP (ø4.3mm, 8.0mm)	PR43008	13
Premium Implant Conical NP (ø4.3mm, 10.0mm)	PR43010	13
Premium Implant Conical NP (ø4.3mm, 11.5mm)	PR43011	13
Premium Implant Conical NP (ø4.3mm, 13.0mm)	PR43013	13
Premium Implant Conical NP (ø4.3mm, 15.0mm)	PR43015	13
Premium Implant Conical NP (ø5.0mm, 6.0mm)	PR50006	13
Premium Implant Conical NP (ø5.0mm, 8.0mm)	PR50008	13
Premium Implant Conical NP (ø5.0mm, 10.0mm)	PR50010	13
Premium Implant Conical NP (ø5.0mm, 11.5mm)	PR50011	13
Premium Implant Conical NP (ø5.0mm, 13.0mm)	PR50013	13
Premium Implant Conical NP (ø5.0mm, 15.0mm)	PR50015	13
Premium Implant Conical NP (ø6.0mm, 6.0mm)	PR60006	13
Premium Implant Conical NP (ø6.0mm, 8.0mm)	PR60008	13
Premium Implant Conical NP (ø6.0mm, 10.0mm)	PR60010	13
Premium Implant Conical NP (ø6.0mm, 11.5mm)	PR60011	13
Premium Implant Conical NP (ø6.0mm, 13.0mm)	PR60013	13
Premium Implant Conical NP (ø6.0mm, 15.0mm)	PR60015	13
Ratchet	WR	31
Round Bur (0.5mm)	ØRD	28-29
Saw Drill (ø7.0mm)	SAW-01	37
Saw Drill (ø10.0mm)	SAW-02	36-37
Screw Driver (10mm)	HND10	31
Screw Driver (15mm)	HND15	31
Screw for Multi-Unit Sleeve	MSMU4023	23
Screw Removal Kit	SRK-01	39
Screw Removal Drill	SRD-01	39
Screw Removal Guide	SRG-EM	39
Screw Removal Guide	SRG-ER	39
Screw Removal Guide	SRG-IO	39
Screw Removal Guide	SRG-SH	39
Screw Removal Guide	SRG-TSV3.7/4.1	39
Screw Removal Guide	SRG-TSV4.7	39
Screw Removal Tap	SRT-01	39
Sinus Lift 1	YSL-01	41
Sinus Lift 2	YSL-02	41
Sinus Lift 3	YSL-03	41
Sinus Lift Crestal 2	SLC-02	41
Socket Wrench Driver	SCA635	31
Solo 1 Piece Implant (ø3.0mm, 10.0mm)	OP3010	18
Solo 1 Piece Implant (ø3.0mm, 11.0mm)	OP3011	18
Solo 1 Piece Implant (ø3.0mm, 13.0mm)	OP3013	18
Solo 1 Piece Implant (ø3.0mm, 15.0mm)	OP3015	18
Solo 1 Piece Implant (ø3.3mm, 10.0mm)	OP3310	18
Solo 1 Piece Implant (ø3.3mm, 11.0mm)	OP3311	18
Solo 1 Piece Implant (ø3.3mm, 13.0mm)	OP3313	18
Solo 1 Piece Implant (ø3.3mm, 15.0mm)	OP3315	18
Solo 1 Piece Implant (ø3.75mm, 10.0mm)	OP37510	18
Solo 1 Piece Implant (ø3.75mm, 11.0mm)	OP37511	18
Solo 1 Piece Implant (ø3.75mm, 13.0mm)	OP37513	18
Solo 1 Piece Implant (ø3.75mm, 15.0mm)	OP37515	18
Solo 1 Piece Implant (ø4.2mm, 10.0mm)	OP4210	18
Solo 1 Piece Implant (ø4.2mm, 11.0mm)	OP4211	18
Solo 1 Piece Implant (ø4.2mm, 13.0mm)	OP4213	18
Solo 1 Piece Implant (ø4.2mm, 15.0mm)	OP4215	18
Split Chisel (Set of 4)	SPC-01	37
Split Chisel 4mm Curved	SPC-03	37
Split Chisel 4mm Straight	SPC-02	37
Split Chisel 6mm Curved	SPC-05	37
Split Chisel 6mm Straight	SPC-04	37

PRODUCT	SKU	PAGE
Premium Implant Hex (ø3.3mm, 15.0mm)	PR33015	13
Premium Implant Hex (ø3.5mm, 8.0mm)	PR35008	13
Premium Implant Hex (ø3.5mm, 10.0mm)	PR35010	13
Premium Implant Hex (ø3.5mm, 11.5mm)	PR35011	13
Premium Implant Hex (ø3.5mm, 13.0mm)	PR35013	13
Premium Implant Hex (ø3.5mm, 15.0mm)	PR35015	13
Premium Implant Hex (ø4.3mm, 6.0mm)	PR43006	13
Premium Implant Hex (ø4.3mm, 8.0mm)	PR43008	13
Premium Implant Hex (ø4.3mm, 10.0mm)	PR43010	13
Premium Implant Hex (ø4.3mm, 11.5mm)	PR43011	13
Premium Implant Hex (ø4.3mm, 13.0mm)	PR43013	13
Premium Implant Hex (ø4.3mm, 15.0mm)	PR43015	13
Premium Implant Hex (ø5.0mm, 6.0mm)	PR50006	13
Premium Implant Hex (ø5.0mm, 8.0mm)	PR50008	13
Premium Implant Hex (ø5.0mm, 10.0mm)	PR50010	13
Premium Implant Hex (ø5.0mm, 11.5mm)	PR50011	13
Premium Implant Hex (ø5.0mm, 13.0mm)	PR50013	13
Premium Implant Hex (ø5.0mm, 15.0mm)	PR50015	13
Premium Implant Hex (ø6.0mm, 6.0mm)	PR60006	13
Premium Implant Hex (ø6.0mm, 8.0mm)	PR60008	13
Premium Implant Hex (ø6.0mm, 10.0mm)	PR60010	13
Premium Implant Hex (ø6.0mm, 11.5mm)	PR60011	13
Premium Implant Hex (ø6.0mm, 13.0mm)	PR60013	13
Premium Implant Hex (ø6.0mm, 15.0mm)	PR60015	13
Ratchet	WR	31
Round Bur (0.5mm)	ØRD	28-29
Saw Drill (ø7.0mm)	SAW-01	37
Saw Drill (ø10.0mm)	SAW-02	36-37
Screw Driver (10mm)	HND10	31
Screw Driver (15mm)	HND15	31
Screw for Multi-Unit Sleeve	MSMU4023	23
Screw Removal Kit	SRK-01	39
Screw Removal Drill	SRD-01	39
Screw Removal Guide	SRG-EM	39
Screw Removal Guide	SRG-ER	39
Screw Removal Guide	SRG-IO	39
Screw Removal Guide	SRG-SH	39
Screw Removal Guide	SRG-TSV3.7/4.1	39
Screw Removal Guide	SRG-TSV4.7	39
Screw Removal Tap	SRT-01	39
Sinus Lift 1	YSL-01	41
Sinus Lift 2	YSL-02	41
Sinus Lift 3	YSL-03	41
Sinus Lift Crestal 2	SLC-02	41
Socket Wrench Driver	SCA635	31
Solo 1 Piece Implant (ø3.0mm, 10.0mm)	OP3010	18
Solo 1 Piece Implant (ø3.0mm, 11.0mm)	OP3011	18
Solo 1 Piece Implant (ø3.0mm, 13.0mm)	OP3013	18
Solo 1 Piece Implant (ø3.0mm, 15.0mm)	OP3015	18
Solo 1 Piece Implant (ø3.3mm, 10.0mm)	OP3310	18
Solo 1 Piece Implant (ø3.3mm, 11.0mm)	OP3311	18
Solo 1 Piece Implant (ø3.3mm, 13.0mm)	OP3313	18
Solo 1 Piece Implant (ø3.3mm, 15.0mm)	OP3315	18
Solo 1 Piece Implant (ø3.75mm, 10.0mm)	OP37510	18
Solo 1 Piece Implant (ø3.75mm, 11.0mm)	OP37511	18
Solo 1 Piece Implant (ø3.75mm, 13.0mm)	OP37513	18
Solo 1 Piece Implant (ø3.75mm, 15.0mm)	OP37515	18
Solo 1 Piece Implant (ø4.2mm, 10.0mm)	OP4210	18
Solo 1 Piece Implant (ø4.2mm, 11.0mm)	OP4211	18
Solo 1 Piece Implant (ø4.2mm, 13.0mm)	OP4213	18
Solo 1 Piece Implant (ø4.2mm, 15.0mm)	OP4215	18
Split Chisel (Set of 4)	SPC-01	37
Split Chisel 4mm Curved	SPC-03	37
Split Chisel 4mm Straight	SPC-02	37
Split Chisel 6mm Curved	SPC-05	37
Split Chisel 6mm Straight	SPC-04	37

PRODUCT	SKU	PAGE
Split Master Kit	SSM-02	37
Spreader Screw	BCT-01-01	37
Spud Drill (1.5)	SPUD15	28-29
Stopper (1mm)	MAS-02-01	41
Stopper (2mm)	MAS-02-02	41
Stopper (3mm)	MAS-02-03	41
Stopper (4mm)	MAS-02-04	41
Stopper (5mm)	MAS-02-05	41
Stopper (6mm)	MAS-02-06	41
Stopper (7mm)	MAS-02-07	41
Stopper (8mm)	MAS-02-08	41
Straight and ULCA Abutment Screw Conical NP	SCACNP94	25
Straight and ULCA Abutment Screw Conical RP	SCACRP94	25
Straight Hand Piece	SIAL201	46
Straight Multi Abutment Conical NP (1mm)	00MUANP1	23
Straight Multi Abutment Conical NP (2mm)	00MUANP2	23
Straight Multi Abutment Conical NP (3mm)	00MUANP3	23
Straight Multi Abutment Conical NP (4mm)	00MUANP4	23
Straight Multi Abutment Conical RP (1mm)	00MUARP1	23
Straight Multi Abutment Conical RP (2mm)	00MUARP2	23
Straight Multi Abutment Conical RP (3mm)	00MUARP3	23
Straight Multi Abutment Conical RP (4mm)	00MUARP4	23
Straight Multi Abutment Hex (1mm)	00MUAH1	23
Straight Multi Abutment Hex (2mm)	00MUAH2	23
Straight Multi Abutment Hex (3mm)	00MUAH3	23
Straight Multi Abutment Hex (4mm)	00MUAH4	23
Tissue Punch (ø3.0x4.0mm)	TPU3040	31
Tissue Punch (ø4.0x5.0mm)	TPU4050	31
Titanium Healing Abutment Medium Conical NP (2.0mm)	HACNP452	19
Titanium Healing Abutment Medium Conical NP (3.0mm)	HACNP453	19
Titanium Healing Abutment Medium Conical NP (4.0mm)	HACNP454	19
Titanium Healing Abutment Medium Conical NP (5.0mm)	HACNP455	19
Titanium Healing Abutment Medium Conical NP (6.0mm)	HACNP456	19
Titanium Healing Abutment Medium Conical RP (2.0mm)	HACRP452	19
Titanium Healing Abutment Medium Conical RP (3.0mm)	HACRP453	19
Titanium Healing Abutment Medium Conical RP (4.0mm)	HACRP454	19
Titanium Healing Abutment Medium Conical RP (5.0mm)	HACRP455	19
Titanium Healing Abutment Medium Conical RP (6.0mm)	HACRP456	19
Titanium Healing Abutment Medium Hex (2.0mm)	HAH452	19
Titanium Healing Abutment Medium Hex (3.0mm)	HAH453	19
Titanium Healing Abutment Medium Hex (4.0mm)	HAH454	19
Titanium Healing Abutment Medium Hex (5.0mm)	HAH455	19
Titanium Healing Abutment Medium Hex (6.0mm)	HAH456	19
Titanium Healing Abutment Narrow Conical NP (2.0mm)	HACNP382	19
Titanium Healing Abutment Narrow Conical NP (3.0mm)	HACNP383	19
Titanium Healing Abutment Narrow Conical NP (4.0mm)	HACNP384	19
Titanium Healing Abutment Narrow Conical NP (5.0mm)	HACNP385	19
Titanium Healing Abutment Narrow Conical NP (6.0mm)	HACNP386	19
Titanium Healing Abutment Narrow Conical RP (2.0mm)	HACRP382	19
Titanium Healing Abutment Narrow Conical RP (3.0mm)	HACRP383	19
Titanium Healing Abutment Narrow Conical RP (4.0mm)	HACRP384	19
Titanium Healing Abutment Narrow Conical RP (5.0mm)	HACRP385	19
Titanium Healing Abutment Narrow Conical RP (6.0mm)	HACRP386	19
Titanium Healing Abutment Narrow Hex (2.0mm)	HAH382	19
Titanium Healing Abutment Narrow Hex (3.0mm)	HAH383	19
Titanium Healing Abutment Narrow Hex (4.0mm)	HAH384	19
Titanium Healing Abutment Narrow Hex (5.0mm)	HAH385	19
Titanium Healing Abutment Narrow Hex (6.0mm)	HAH386	19
Titanium Healing Abutment Wide Conical NP (2.0mm)	HACNP502	19
Titanium Healing Abutment Wide Conical NP (3.0mm)	HACNP503	19
Titanium Healing Abutment Wide Conical NP (4.0mm)	HACNP504	19
Titanium Healing Abutment Wide Conical NP (5.0mm)	HACNP505	19
Titanium Healing Abutment Wide Conical NP (6.0mm)	HACNP506	19
Titanium Healing Abutment Wide Conical RP (2.0mm)	HACRP502	19
Titanium Healing Abutment Wide Conical RP (3.0mm)	HACRP503	19

PRODUCT	SKU	PAGE
Titanium Healing Abutment Wide Conical RP (4.0mm)	HACRP504	19



875 N. Michigan Avenue, Suite 3106
Chicago, IL 60611 United States

Tel: (312) 440-7777
Email: info@spiraltech.com

www.spiraltech.com

Sales & Service

USA: (888) 991-7997
Local: (312) 440-7777
Order Online 24/7: www.SpiralTech.com

©2016 SpiralTech Superior Dental Implants, Inc.
ISO 13485:2003
EC Certificate US15/842415